FOR CONSTRUCTION 10-18-05

## SHEET SIGNATURE RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH PHASE 1 MASS GRADING PLAN COVER



CÁLE (H) NONE						201
CALE (V) NONE						13/A 10
RAWN BY SA/RM						
нескей ву ѕн/ов	_					The state of the s
A,TE 10-18-05	REN. HD.	E TAP BY	DROVÁNI SSY	AFTROMS.	DAME .	
	_	· ·				

16. THE CONTRACTOR SHALL NOT GRADE ANY ARMY CORPS OF ENDINEERS (ACOE) 404 DESIGNATED WASHES UNTIL 404 PERMIT APPROVAL HAS BEEN GRANTED.

THE CONTRACTOR SHALL NOT GRADE ANY PARCELS WITH OUTSIDE PRIVATE OWNERSHIP JUTIL PERHIPSION ID GRADE HAS SPEN GRAVIED BY THE PROPERTY OWNER.

18. AL EXCAVATINA AND GRADING DEPARTUS. CONDUCTED MITHIN THE COUNTY LIFTS NEEDSTAND SHALL DOWN ALL DIST CONDICC PERMITS. 12. AN APPROVED, CRADING PLAN SHALL BE ON THE JOB SITE AT ALL THES, DEVIATION PROVETED FLAN MUST BE PRECEDED BY AN APPROVED PLAN REVISION.



before you Overhead

bed cathy background

May har way,
Call
before you

and state
1-800-762-5348
(1-80-8788-7)

THIS STIT OF PLANS TASK BERY BEYOND THIS COMPLANCE, WIT COUNTY REQUIRED TO ISSUANCE OF CHASTIS SHARED, CHASTAN SHALL NOT PREVIOUS THE COUNTY FROM REQUIRED CONNECTION OF EXCUSED THE COUNTY FROM REQUIRED CONNECTION OF EXAMOLOGY OF REAL TOWN OF THE COUNTY FROM THE COUNTY F HE COMPANDES SAME SERVINA À SERVIT-GE-MAY USE FERMIT FOR ANY WORK HE CONTRACTOR THE RESERVE THE RESERVE THE ANY OWER HE CHERCIPE DE CONTRACTOR ACTIVITÉES REPRESENTATION ACTIVITÉES PROBLÈMES À COUNTRACTOR ACTIVITÉES REPRESENTATION ACTIVITÉES NATION DE CHARACTOR SAME AND SERVICION ACTIVITÉES NATION PRESENTATION PRESEN ALL MORE SHALL BE DOKE IN AGGORDANCE WITH MERCATE COUNTY STANDAGO PREDICTATION AND STANDARD STANDARD STANDARDES, LINCESS STANDARDES, LINCESS STANDARDES APPROVED BY THE COUNTY ANGMETS, OR LINCESS APPROVED BY THE COUNTY ENGAGES OF UNIVERSE AND PROPROMED AS A PETITION SO EXCEPTION BY REPORTED AS A PETITION SO AND THE MORNOR OF THE PERIOR AND THE MORNOR OF THE PERIOR AND THE MORNOR OF THE PETITION AND THE PETITION AND

MPROXIMENTS WILL NOT BE ACCEPTED UNTIL CERTIFIC RECKED DRAWNOS (AS-BUILTS), NOLUDING ALL TEST RESULTS, HAVE BEEN SUBAUTED AND ACCEPTED BY THE COUNTY. 

THE COMPRACTOR SHALL FOLLOW ALL BLUE STAKE LAWS AND NOTIFY BLUE STAKE (1—502—81)A(6—17), BEFORE DIGGING. ANY RELOCATION, MODIFICATION, EGT;, OF EXISTING UTILITIES AND/OR PHISIUS IMPROVABILITY RECESSITATED BY PROPOSED DEVELOPMENT SHALL BE AT MO EXPENSE TO THE COUNTY. A DODPHAN USE PERMIT AND MUSHED PLOOR ELEMATON CRETIFICATE ARE RECORDED FOR THE ALL FARCALS LOOKING WHILE THE FERM DESIGNATED ARENE OF SPECIAL FLOOD HAZARD FOR THE 100-YEAR STORM.

WAREN SOLIS TO BE PROMISED FROM THE SIXT THE CONTRACTORS SHALL DESIGNATE THE COCKNING HERE THE FLUE HERE PROMISED STORY AND FROM THE FROM THE COCKNING OF THAT PROPERTY ALLOHAND THE PLACEMENT OF THE METERAL PROMISED OF THE METERAL PROMISED SHAPET TO THE APPROVABLE RECUIREMENTS OF THE CONCERNING LINESCOTTON. deleterious matéral as deemed ungutable by the soils engineer for use as sompacied file shall be excavated and removed from the site. all gradná seall compon to the uniform building code, as adoptes and momen by moment govern.

13. ALL REQUIRED TRAFFIC CONTROL DEWEES SHALL DOWNORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEWEES (MUTCO), LATEST EDITION. EXCLET FOR THE WORK PREFORMED LINDER THE TERMS OF A FRANCISE, OR WORK PREFORMED AND THE COMPRACIONS OF AN EXCLEDING THE COMPRACIONS OF OR PORCE, PER PROSECT OF AN TALL WORK IS INSCRIPED AND TENDED BY ON QUARTER PROSECT OF STEPPINGENEES AND PROSECULATION OF THE PROSECULATION OF THE

DRAMAGE WILL REMAIN IN ITS NATURAL STATE AND WILL NOT BE ALTERED. DISTURBED, OR OBSTRUCTED OTHER THAN AS SHOWN ON THIS DEVELOPMENT PLAN. SHEETWAYS SALL SE DONE IN ACCORDANCE WAS THE "PRESSME STANDARD SHEETWAYS CONTINUED AND THE MESS OF MACHINE STANDARD STAN S. ALL MANHOLE TRAME AND COXER GRADE ADJUSTMENTS REQUIRED STANDARD DETAIL NO. 422 SHAPING OF ALL SENER MANHOLE BOTTOMS SHALL BE PER M.A.C. STANDARD SPECIFICATIONS NO. 628.33. , ALL EXISTING STREET PAVEMENT CISTLIGED BY CONSTRUCTION SHALL BE REPLACED IN ACCOMPANCE WITH M.A.G. STANDARD DETAIL MD. 200 REQUIRED MAYNOLES SHALL BE CONSTRUCTED PER M.A.G. STANDARD DETAIL NO. 420. CHIRT MAIN PRIC MOD SERVICE SHALL BE PLYCE SIDE-25, MEETING THE PEDINEDRISMS OF A STALL 3004 AND MAYOR SECOND AND MEETING THE SHALL BE IN ACCRECANCE WITH A STALL STANDARD SPECIFICATIONS DAY. WATEN/SIEMS SEPARADO MOLIDING SIEMSE JIETS MITHIN
THE ROUT-LOS- MAY SHALL MED! THE REQUIREMENTS OF LINES SEPARATION
BETAILS AGAIN AND PRE-A-1982E (ALEST REVISION), SEPARATION
SHALL BE A LIMINATE OF 2 METRICAL AND PRE-ROCHITAL
CONTRACTOR SAULT ACQUIRE & PAY FOR ALL NECESSARY PERMITS. TREACHING AND BACKFILL SHALL MEET THE REQUIREMENTS OF ALG.
STWOMARD SPECIFICATION NO. 504. COMPACTION DEVISITES SHALL RE
95% FROM THE SURFACE TO 2' BELOW SURFACE: BUE STAKE

"-800-STAKE"

AT LEAST 2 MORKING DAYS II ADVANCE. THE CONTRACTOR SHALL
COOPERATE WITH THE CHILTY COMPARIES IN PROTECTIVE MIC WERKING
ARGUND THEIR OF SERVICE LINES.

12. ALL SEMER SERVICE CONNECTIONS SHALL MEET THE REQUIREMENTS MALIG. STANDARD DETAIL NO. 440, TIPE: A NOTE: SENER SERVICE CHOSSING OF WAYER JAMEN MITHIN THE RIGHT OF WAY MAY REQUIRE PROTECTION FER MAG STD. DET. 404. SEWER CLEANOUT SHALL MEET THE REQUIREMENTS OF M.A.G. STANJARD DETAIL NO. 441. ALL MANIMATES AND BRODS SAMPE COMMERCIDAD SAULT BY MANIMATES 
CONTINUENT AS CONTINUENCE OF A MANIMATES 
CONTINUENCE OF A MANIMATE OF A MANIMATES 
AND A MANIMATES OF A MANI

. UTILITY FATILITIES, SHOWN OF MOT SHOWN IN COMPILOT WITH THIS WORK SHALL BE RELOCATED BY THE CENTRACTOR AS REQUIRED. THIS ACTIVITY SHALL BE CONCIDENTED WITH THE OWNER OF THE UTILITY TO PREVENT MY UNINCESSARY INTERPOPTION OF SERVICE. MINIMUM DEPTH OF GOVER TO THE TOP OF SEMER RIPE SHALL NOT BELESS THAN  ${\bf S}$  FEET.

10. ALL THRUST BLOCKING FOR WATER LINES SHALL MEE? THE REQUIREMENTS OF M.A.S. STANDARD DETAIL NO. 38D. Queb Stop with Eusenic Pipes Shall be constructed as required by M.A.G. Shandard Denail NO. 370, Time "A", as and due by the lity of knobary. - MIL PITINGS FOR WATER MANS SHALL MEET THE REQUIREMENTS OF M.A.G. BTANDARD SECTION 755; ALL BLOCKING FOR WATER OATE VALVES SHALL MEET THE REQUIREMENTS OF MIAGE STANDARD DETAIL HO, JOI.

ALL TAPPING SLEEKS, VALVER AND VALVE BOOKS ON WATERIAKS SHALL MEET THE REQUIREMENTS OF MAJAS SPECIFICATIONS SECTION 530, AND MAG, STANDARD DETAIL NO. 340. PAYMENT FOR CONCINENTIALS SHALL BE MADE ON THE BASIS OF UNIT PRICE, BO, IN THE CONTRIVENTORS PROPOSAL, ALL THESE CALLED FOR ON THE PLANS BUT NOT USEDD IN BIO 1705 SHALL BE CONSIDERED INCIDENTAL, SHOTE THE TEXT NEXT HE BIT THE BUT OF WHITE THE BUCKNEY, NAVARITALID THESE, RESIRKS, SALVICING MATERIAL, EXSTRON UNITED DOMEDICATION, ETC. WATER METER COMERS SHALL MEET THE REQUIREMENTS OF MAKE. STANDARD BETAIL NO. 210, AND WATER METER REQUIREMENTS OF MAKE STANDARD OFTAIL HO. 320.

17. ALL EXISTING STREET PAVEMENT DISTURBED BY CONSTRUCTION SHALL BE REPLACED BY ACCORDANCE WITH MALE, STANDARD DETAIL NO. 200-1. ALL PITTINGS AND VALVES SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURES PECCAMISTOLATIONS. ALL VALVES ARE TO BE PLUMB AND HAVE STRAIDHT ALIGNMENT. URITY FAULTIES, SHOWN US NOT SHOWN IN CONFLICT WITH THIS WORK, SMALL BE RELOCATED BY THE GENERAL CONTRACTION AS REQUIRED, THIS ACTIVITY SMALL BE COORDINATED WITH THE OWNER OF THE UTILITY TO PREVENT ANY UNKNECESSARY INTERRUPTION OF SERVICE. HATER MÁIN SHÁIL BE TESTED IN ACCORDANCE ATH MIA,O. SECTION 510—14, Ann in accordance with Mia.C. Section 619.14 for ductile han fire.

WATES

LAG WARY SALL BE DONE IN ACCESSIVED. WHIT THE "WIFEGIN FINAL SALE BE DONE IN ACCESSIVED WHITE "WIFEGIN FINAL SALE SALE WAS CONSTRUCTION WHITE SAMPLED BETALE FOR FULLY WARPS CONSTRUCTION WHITE SAMPLED BETALE FOR FULLY WARPS CONSTRUCTION OF CONSTRUC THE SCOAM OF WITHINGS SHOWN IS BASIND WOOD SEXT WHENCH AND ACCURATE THE COMPANION OF ALL DISTRICT WITHING ANALY REFET THE COMPANION OF JAMPS OF ANY COMMENCIAL AND SHOW IN CALLED THAN IN CAME THAN IN C BLUE STAKE. 1-000-STAKE-IT
AT LEAST 2 WIDDRING DAYS IN ADDRAING THE CONTRACTOR SHALL
COOPERAGE WITH ALL UTILLY COMPANIES IN PROTECTING AND WIDDRING
ASSUND THER UTILL'S A SERVICE LIKES
ASSUND THER UTILL'S A SERVICE LIKES

ALL MORE SHALL BE DONE IN ADDIBIANCE WITH THE "UNKNOWN STANDARD SCHOOL TOWN SEE BRALLET WINDOW CONSTRUCTION "STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION" STANDARD AND DETAILS FOR PUBLIC WORKS CONSTRUCTION STANDARD AND DETAILS OF THE WARRISTON ADDITIONAL TOWN OF CONSTRUCTION OF CONSTRUCTION OF CONSTRUCTION OF THE PUBLIC WARRIST OF THE PUBLIC WARRIS

BITE CHADNO

THE B NOTES

ALL CRISITY REQUIREMENTS FOR STREETS SHALL WEET THE REVURSAUMTS OF MANG SPECIFICATION 301 MID MAG. SPECIFICATION 501 FOR ALL WAITEN WID STREET TREMONED SAMPLAGE SHALL BE SER FROM THE SUPPLACE TO 2" WILLIAM SURFACE

S. CONTRACTOR SHALL ACCURE & PAY FOR ALL NECESSARY PERMITS.

WATER SMAIL SHALL BE DID PIPE CLASS 15D, NEETING THE REQUIREMENTS OF A WARA. C-90D. WATER SERVICE MATERIAL SHALL MEET THE REQUIREMENTS OF MAKE STANDARDS PRECIFICATIONS SECTION 758.

THENDHING AND BADDYEL SHALL WEET THE REQUIREMENTS OF WAS STANDARD SECRETARING BOOK COMPACTION DENSITIES SHALL BE 95% FROM THE SURFACE TO 2" BELOW SURFACE. WATER/SEWER SEPARATION SHALL WEET THE REQUIREMENTS OF RESEARCH SEPARATION SEPARATION SHALL BE A MINIMUM OF 2" VERTICAL AND B SOCIEDATEL. water lines shall be disinfected in accordance with adject. Disintering building no. 8,  $\theta$ 

ALL STREET ACCREGATE BASE SHALL MEET THE REQUIREMENTS OF MARG. SECTION 410. CONTRACTOR SHALL REPLACE ANY INADEQUATE SUBGRADE MATERIAL WITH APPROPRIATE BACKFILL AS DIRECTED BY THE PROJECT ENGINEER

TO SIDEWALKS SHALL BE CONSTRUCTED AS REQUIRED BY M.A.G. STANDARD DECAIL NO.230 & SHALL CONFORM WITH M.A.G. SPECIFICATION 340. 8. FOR SEAL SHALL MEET W.A.G. STANDARDS SECTION 333.
9. CONCRETE CURB AND GUTTER SHALL MEET THE REQUIREMENTS OF MANG. STRANDARD DETAIL 220. ALL POURED CONDRETE STRUCTURES SHALL MEET THE REQUIREMENTS OF M.A.C. STD SPECIFICATIONS, SECTION 505. ALL ASPHALT GONORETE PAVÉMENT SHALL MEET THE REQUIREMENTS OF M.A.G. STANDARD SECTION 321. THE EXACT ROINT OF MATCHING TERMINATION AND OVERLAY, IF NECESSARY, SHALL BE DETERMINED IN THE RELD BY THE COUNTY ENSINEDRY OF AUTHORIZED REPRESENTATIVE.

EARCH LOCATION OF HINTES SELDIN IS BLISED HAVE BEEN BEACH ATE CONTRACTOR THE THICK HOLD AS SELDIN AND ARE APPROXIMATE CONTRACTOR AND AREA BASTING THE AREA BLISED AND AREA BASTING THE AREA BLISED AND AREA BASTING TO COMMENCE BEINT OF ANY STRUCTURE BY CALLING.

POJOWAY DICAYATION SAMIL MEET THE REQUIREMENTS OF MAGA SPECIFICATION ZOSI MAGE SPECIFICATION ZOS DET WATERING AND MAGA STRUDARD SPECIFICATION ZOT FOR SLIPSBADE PREPARATION ALL BACKFILL PAYEDERT AND SLIFFAX REPLACEMENT SHALL BEET THE RECOINDERLYS OF MAKE, STANDARD BETALL NO. 2004—AND MAKE. STANDARD STEEDINGARDAY SECTION XXII. ALL TRENGRES SHALL MEET DEMA RECOINDERLYS. AT LEAST 2 WORKING DAYS III ADVANCE. THE CONTRACTOR SHALL DOMERSHE WIR THE UTILITY COMPANIES IN PROTECTING AND WORKING AROUND THOR LITIUTIES & SERVICE LINES.

THENAN PLACED ZOOME

THE WAY PERSON OF THE PROPERTY STEEL USE WHEN AN

A PROPERTY STEEL AND A SECULAL FLACED WHEN AN

AREA MERSON OF THE PROPERTY STEEL USE WHEN AN

AREA MERSON OF THE AREA SECULAL FLACED WHEN AN

AREA MERSON OF THE AREA SECULATION OF THE AREA

STEEL OF THE MERSON OF THE 100 "SEM" STEMM SEE

TAN ONE BELLIAMENT LOOMINGS.

DATED APPEL, 2005 AND PREPARED BY:
STANLEY CONSULTANTS, INC.
9200 S. EASTERN AVE. SUITE 200
LES YEGAS NV 28119
(702) 389-3136 DRANACE REPORT

ALL CONSTRUCTION SHALL CONTORN WITH THE SOILS REPORT PERFARED BY: AMERICAN SOILS DOUBLE SHALL THE SEPTEMBER OF PROJECT No.: 1050-650

PHORESCALES AND ASSESSED AND ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED AS A SECONDARY STATE OF THE ASSESSED ASSESSED AS A SECONDARY AS A SECONDA THE COMPRACTOR SHALL ISSUES ALL SITE CONDITIONS AND DMCNSCANS AND SHALL MORTH THE ENGINEER OF ALL DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORK.

4. SEE LANDSCAPE PLANS FOR LANDSCAPING AND ONSITE IRRIGATION. add savot to all elevations  $< 500^\circ$  en these dramings to bet actual elevation.

 SEZ OFF-STE PROADMAY IMPROVEMENT PLANS BY STANLEY CONSULTANTS FOR PERMETER PROAD CRABING. 6. SEE DOLF COURSE PLAKES, BY TED ROGINSON FOR GOUR COURSE DRADING.

PRELIMINARY ISSUE FOR REVIEW NOT FOR CONSTRUCTION 10/18/05

## 20. THE CEMERAL CONTRACTOR SHALL SE REPONSIBLE FOR ALL MERT PRAFFIC CONTROL SKINS AND MARISMOS IN ACCORDANCE WITH THE LATEST EXPIRED OF THE MANUAL OF UNITION. TRAFFIC CONTROL ORDACES (MUTCO). 14. NO PARING CONSTRUCTION SHAFL OF STAFTED UNTIL ALL OTHERY UNICE. APPROVED UNDER THIS PROPOSED PARES AREA. 15. NAS COMMETED & APPROVED UNDER THIS PROPOSED PARES AREA. APPROVED BY THE COUNTY ENGINEER. 18. EXCENSE STREET AND TRAFFIC SIGNS WILL BE MAINTAINED DUPING OWNERWAYDD AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE PUBLIC MORKS DIRECTED. THE LOCATION OF ALL WATER VALVES FIRE HYDRAYITS, AND MANIFOLES WHET AT ALL THES DURING CONSTRUCTION BE REFERENCED BY THE CONTRACTOR AND WADE AVAILABLE TO THE COUNTY. 16. UTILITY FACILITIES, SHOWN OR HOT SHOWN IN COMPUTET WITH THIS WORK, SHALL BE RELIGIATED BY THE GENERAL CONTRACTOR AS REQUIRED. THIS SHALL BE CONSIDERATED WITH THE OWNER OF THE UTILITY BY PREVENT ANY UNICESSARY INTERFLIPTION OF SCRANE. I NO JUS SHALL RE CONSUDERE DOMPHEED UNTIL CHERS, PANEMENTS AND STEMMUNES HAVE BEEN SMITH COLEMY OF ALL CHER AND DEERES, AND SURPICY MONUMENTS ARE INSTALLED. STORM WATER POLLUTION PREVENTION PLAN THE PAYING CONTRACTOR SHALL BE ATSPONSHEE FOR THE AGUSTRENT AND PLASHENT OF CONORETE COLLARS, FRANCS, CONFREE, AND VALVE BOXES AS NECESSARY FOR A COMPLETE JUST AS APPROVED BY THE COUNTY ENGINEER. LOE OF STOLE Mail no P Barro BOY BY EDGE OF PAVEMENT اً ﴿ EXISTING GRAGE CONTOUR — 2445 —— KIAJOR CONTOUR DUSTING EDGE OF PAVENENT EINISHED FLOOR ELEVATION BIASE FLOOR ELEVATION - RETAINING WALL R/W LINE - PERIMETER BLOCK WALL 100 WATT LUMINAIRE 250 WATT LUMINAIRE CULDESAC STATIONING S/W RAMP CENTER LINE GRADE FLDW UNE PULL BOX EDISTING SIGNA. WITH LUMINAIRE EX STREETLICHT OUT OR FILL SLOPES DIRINEWAY E EX CHIEF & CHITER - EDGE OF PANEMENT HIGH POINT SWALE DIRECTION EXISTING GRADE FUTURE GRADE HIGH POINT FINISHED GRADE SERVICE POINT SE STOP SIGN Macellaneona alon LIIII POLE EASEMENT LINE CENTER LINE TOP BACK OF TURB BEGIN RADIUS HOT LEABLE BNR SDC STREET NAME SIGN ALTVOR BONNOVEL GRADE BREAK 8" PVC WATER ]94 NOTE: ALL ABBREVIATIONS, SHOWN ON THIS LEGEND MAY, NOT APPEAR ON THIS SET OF ORAMINOS. ABBREVIATIONS TEE W/VALVE 3/4" WATER METER N/ 1" COPPER M 2" BLOWOFF MSSEMBLY GATE VALVE PVC WATER WAIN (PUBLIC) 48" SANITARY SEMER MANHOLE PYC SANITARY SEMER MAIN (PUBLIC) EXISTING FIRE HYDRANT INDIVIDUAL SENER BACKWATER VALVE 45" . 90" BEND PROPOSED FIRE HYDRANT ndindriat beszere bedingiko anta Diardea Tráithe còntrea dence NOT TO SCAL POLYVINT, CHLORID PRIVAT END OF NERTHEAL COMP END OF NERTHEAL COMPRESSING ENTRY HOUSE ADDRESS A CONSTRUCÇÃO DE CONSTR CARO STATIC CARO STATIC CARO CONSTRUCTOR CON CONTRIBUTION OF THE PROPERTY O MIDPOINT OF VERTICAL CURVE MANICUPA ASSOCIATION OF COVERNMENTS MANHOLE GRADE: E

RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH PHASE I MASS GRADING PLAN NOTES




SCALE (V) NONE DRAWN BY SA/RM					
CHECKED BY DB/SH					
DATE 10-18-05.	REN. MD.	GEORP WIT	DRIVAN SS	ATTROVAL:	DAR


NOTES


2 of 94 SHEETS
SQ PROJECT:


Case 09-14814-gwz Doc 1255-19 Entered 08/13/10 21:05:36 Page 4 of 28














CECULECHECK 10. AND NOTE: WHEN THE STATE OF THE STATE OF




Scr D s	RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH	
94 SHEE 8449	PHASE IMASS GRADING PLAN DETAILS	
	MOHAVE COUNTY	ARIZONA





		·				
ALE (H) NONE	Ì[					Redi
ALE (V) NONE						
AWN BY GA/RM						F 539 31
ECKED BY SH/DB	1					
TE 10-18-05.	ROV MAX	DEPCENTION	bija Ama Sav	APP ROVEN	QATE .	100
		72.44.110				


Case 09-14814-qwz Doc 1255-19 Entered 08/13/10 21:05:36 Page 5 of 28











PRELIMINARY ISSUE FOR REVIEW
NOT FOR CONSTRUCTION 10-18-05


RESIDENTIAN, ALLIM CAP. Z. OM, BET IN CONG. 68 FT, NORTHEAST OF THE SOUTH 1/4 CONNER OF SEC. 23, T. 21 M, BUB W, AND THE INTERSECTION OF SYMMERUM DE, AND HOPE RD., SYMPED: "SD. 24 1989 RLS (CMA)." **BEINGHMARK** BENCHMARK # "50 34" N.C.S.D. BLEVA 11044-- 2580, 24273, 181 (NAVO "85) MIRTH DOTATOR EAST — THE WEST UNK OF THE MORTHWEST QUARTERS (MM / M/s) OF SECTION QUA, TOMANING FOR MIRTH, RAMES OF WEST) QUARTER SOLICITION OF MIRTH MARKET OF THE METERS OF CONTRACT OF THE METERS O BASKS OF BEARWOOD STONE 1/4 COR 3/2 = (C.S.D. 'SD 32" -LAPTURE 35'08'55,5085'N, LONGITURE (1416'30,72281'% (NAG-'83) HEISHT 2488,704'58H: (NAVO'656) LATITUDE 35'08'22,76034"N, LONGITUDE 114'09'21.5'7240"# (NAD '83) HEIGHT 2502,4639(Iff (NAVD'89)


CINCTINCHINCAL NOTION
ALL CONSTRUCTION SHALL CONFIGURING HALL
SOLIS REPORT PREVAIED BY: MACRICIAN SOLIS
ROMERING, LIG.
NATEX: 10 SEPTEMBER OF
PROJECT, No.: 1080—280


7 OF		RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH	
94 SHEE PROJECT# 8449	4	PHASE I MASS GRADING PLAN DETAILS	
	!	MOHAVE COUNTY	ARIZONA





CALE (H) NONE	<u> </u>		:			Bed
CALE (V) NONE						
RAWN BY GA/RM			:			
HECKED BY SH/DB	<u> </u>					
AJE 10-18-05.	ACV MAX	DECENTION	Diji Ana Ser	APPROVING	OATE	
		,				






































Case 09-14814-qwz Page 24 of 28 515 Frances 76 250 20 50 J 100 808 788 PAD=105.2 FF: 108.2 FOR CONTINUATION SEE 787 FE: 106.5 TINUATION SEE SHEET AT-CITIE 3 780 781 (PAC-105.2) (PAC-105.2) 545 (PACHEL) 782 PAD-105.6 FF: 106.6 544 E-1065 522 543 765 542 PAG=107.4 Ø 764 (3) 8 553 CONSTITUCTION NOTES

() WE FOLL CHOR AND DITTES FOR RETAL NO. 277X ON SHEET DITA

(2) 4" VERTING LONG AND DITTES FOR NAME, SER DEPAR, SEE DEPAR

(3) 4" VERTING LONG AND MATERIAL OF DEPAR, NO. 220 (TIPE A)

(4) CONSTITUTE STRUCK FOR MATERIAL OF DEPAR, NO. 220

(5) CONSTITUTE STRUCK FOR MATERIAL OF DEPAR, NO. 220

(6) WILLING VIRTURE STRUCK AND STRUCK NO. 240

(6) OFFICE STRUCK CHORSE FOR MATERIAL OF DEPAR, NO. 201

(6) THE A STRUCK CHORSE FOR MATERIAL OF DEPAR, NO. 202

(7) THE A STRUCK CHORSE FOR MATERIAL OF DEPAR, NO. 202

(8) THE A STRUCK CHORSE FOR MATERIAL OF DEPAR, NO. 202 GRAPHIC SCALE TENA PLOOD ZONE

THE MART PHILE STORM

APPRING THE PROMET STEELS STORM

A PORTING OF THE PROMET STEELS STORM

APPRING STORM SAFE AS THE LIES STORM

APPRING STORM SAFE AS THE SAFE AS THE

STEELS SHETHED JOSTONE SAFE

SAFE SHETHED JOSTONE

STEELS SHETHED

STEELS SHETH MINITED AND ANY EAST — THE WAST LINE OF THE MORTHWAST CLARITY (NY 14.4) OF SECTION OF TOTOMERS — 20.00TH, PANCES THE MEST, OLD AND ANY OF THE MORTHWAST CANNOT WE ARROW COMMINITY AND ANY OF THE MEST AND ANY COMMINITY AND ANY CASE-MAY LINES AN GEOTECHNOAL NOTE
ALL CONSTRUCTES SHALL CONFOSA WITH THE
SOLIS REPORT PERDADD BY AMERICAN SOLIS
RECORDERANG, LLC.
PROJECT Not. 1060-320
PROJECT Not. 1060-320 HENCHMARK # "SD .4" M.C.S.D. LEVATION- 2598.24273 IFT (NAVD '8B) J.C.S.D. "SD 32" = ESMISHTON ALLIN CAP OF BIA, SET M COME 65 FT, MICHELSET OF HE SOUTH 1/4 CORNER OF SEC. 25, T. 21 M, FL18 M, AND THE TERRICITING OF SHINNERLIEF UR; AND HOTE 50, STAMPID "50 JA 1998 J. 10043". TONE 1/4 DOT 3/2 -MARIO OF BEARINGS TTO ALL ELEVATIONS LESS THAN 500: 1 GRADING PLANS TO SET ACTUAL LATITUDE 3509/22,78034/N, LONGITUDE 114/39/21,5/244/Y (NAD '83) HEISHT 2552,46381/N (NAVO'88) DISCLAIMER NOTE IMINARY ISSUE FOR FOR CONSTRUCTION = 5/W RAND - EXISTING CONTOUR - FINISHED FLOOR - CENTER LINE - PÁD ELEVATION - EMBTING LINE ÇENŢĘĶĻNE PŃJSHEJ GRĄDE ĢLEYÄTION =, HIGH POINT SWALE - DRIVEWAY TOP OF CURB ELEVATION FINSHED GRADE EXEVATION RATE & DIRECTION OF SLICES PAG HIGH POINT ELEVATION BUTHE CRACE CURB, GUTTER, AND SIDEWALL FUTURE LINE FLOWLINE ELEVATION toe or eqt. WALL/TOP or Fodjiki S FT TRANSITION ("CURE) before you bar single before you before you Overhead 1-928-753-5581 REVIEW 10-18-05 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH A1-GR9 SCALE (V): NONE HEEVEN A AREA 1 GRADING PLAN 9 Stanley Consultants INC.

